


Creating[®]
space
within
space



STORAGE SOLUTIONS
Since 1991

INDUSTRIAL STORAGE SYSTEM & OFFICE FURNITURE





About Us

Since its inception in 1991, Metafold Engineering Pvt. Ltd. has undergone a remarkable journey of growth and transformation. Beginning with a fabrication of simple material movement trolley, the company has continuously expanded its product portfolio to meet the evolving needs of the storage industry, establishing itself as a prominent player in the market.

Our state-of-the-art engineering and production facility covering an extensive area of 1,25,000 sq. ft. boasts an impressive manufacturing capacity of 1500 tons per month. This robust infrastructure empowers us to effectively serve a diverse clientele across various industrial sectors, not only in India but also internationally.

Metafold operates through four specialized divisions: Warehouse, Automation, Machine Shop, and Roll-Out. Each division focuses on specific product lines, enabling us to offer comprehensive solutions and serve as a ONE-STOP DESTINATION for all storage-related requirements.

We take immense pride in our positive outlook and noteworthy achievements within the storage industry. Our unwavering commitment to customer satisfaction has paved the way for an exceptional track record of delivering projects on time, solidifying our reputation as a reliable and trusted partner.



Vision

To create a diverse and sustainable ecosystem where our employees and clients flourish in a non-complacent market, driving mutual growth and success.



Purpose

To fuel our customers' growth by enhancing productivity and ease of operations through our simple yet innovative, effective, and reliable solutions.

Core Values



TEAM WORK

Collaborating effectively with others to achieve common goals through shared effort and communication.



CUSTOMER DELIGHT

Making customer satisfaction our priority by actively listening, anticipating needs, and delivering the best service.



INTEGRITY

Upholding honesty and ethical principles, consistently doing what's right, even when no one is watching.



EXCELLENCE

Continuously improving and setting high standards to achieve the best possible results in every task and endeavour.




IN PLANT MANUFACTURING FACILITIES



TRUMPF LASER MACHINE

Capacity: Sheet Size of 1500 x 3000mm, up to 16mm thickness



TRUMPF PUNCHING MACHINE

Capacity: Sheet Size 1250 x 4000mm, up to 4mm thickness




SALVAGNINI PANEL BENDER

Capacity: Sheet Size 600 x 2100mm, up to 2mm thickness.



PRESS BRAKE

Capacity: upto 4000mm length and 8mm thickness



ROBO WELDING MACHINE



CONVEYORISED POWDER COATING LINE



ASSEMBLY SHOP

INDEX

TOOL STORAGE

- Tool Cabinet
- Tool Trolley

Page 1-6



CNC TOOL STORAGE

Pg. 7-8



INDUSTRIAL CABINET

- Industrial Computer Cabinet
- Press Brake Bending Tool
- Vertical Pull Out Cabinet

Pg. 9-14



INDUSTRIAL CUPBOARD

- Perfo Cabinet with Hinged Door
- Storage Cupboard
- Machine Side Cabinet

Pg. 15-20



INDUSTRIAL LOCKER

Pg. 21-22




ASSEMBLY TABLE



Pg. 23-28

WORK BENCH



Pg. 29-38

INDUSTRIAL TROLLEY

- Platform Trolley
- Bin Trolley
- Ladder Trolley



Pg. 39-44

STORAGE RACK

- Utility Rack
- Fifo Rack



Pg. 45-48

OPTIMIZER MOBILE STORAGE SYSTEM



Pg. 49-52

EXPERIENCE CENTRE





TOOL CABINET

Tool Cabinet is a safe, secure and effective solution to cater the needs of storing and sorting of vast array of tools and components used in day-to-day work. Having an organized way to store prevents tools from getting misplaced thus promoting the serenity of workplace and improving the productivity.

Features:

- Central locking system.
- Aesthetically appealing.
- Label holder on each drawer.
- Low friction telescopic ball bearing slides.
- Fully accessible drawers.
- Provision of partitions as per convenience.
- Flexibility through a combination of drawers.
- Stand for keeping ground clearance.
- Glossy finish with scratch and impact-resistant powder coating.



LIGHT DUTY (40 SERIES) II - 560 X 600

Drawer Opening : 100%
 Drawer Capacity : 40 kg Each Drawer
 Drawer Inner Size (mm) : 460 L x 490 D
 Powder Coating : Cabinet RAL 5015
 Drawer RAL 9001

| MODEL / SIZE (L X W) | PRODUCT CODE | HEIGHT (mm) | DRAWER HEIGHT / QTY | | | |
|-------------------------|-----------------|----------------|------------------------|-----|-----|-----|
| | | | 75 | 100 | 125 | 150 |
| MEPL II | M09 TL10 01 | 800 | 7 | | | |
| (560 X 600) | M09 TL10 03 | 800 | 2 | 3 | 2 | |
| | M09 TL10 08 | 800 | 3 | 2 | 1 | 1 |
| | M09 TL11 01 | 1000 | 6 | 2 | 2 | |
| | M09 TL11 02 | 1000 | 9 | | | |
| | M09 TL11 03 | 1000 | 6 | | | |



MEDIUM DUTY (100 SERIES) II - 560 X 600

Drawer Opening : 100%
 Drawer Capacity : 100 kg Each Drawer
 Drawer Inner Size (mm) : 460 L x 490 D
 Powder Coating : Cabinet RAL 5015
 Drawer RAL 9001

| MODEL / SIZE (L X W) | PRODUCT CODE | HEIGHT (mm) | DRAWER HEIGHT / QTY | | | | |
|-------------------------|-----------------|----------------|------------------------|-----|-----|-----|-----|
| | | | 75 | 100 | 125 | 150 | 200 |
| MEPL II | M09 TM03 01 | 800 | 7 | | | | |
| (560 X 600) | M09 TM03 03 | 800 | 2 | 3 | 2 | | |
| | | | | | | | |
| | M09 TM04 02 | 1000 | 9 | | | | |
| | M09 TM04 03 | 1000 | 6 | | | | |
| | M09 TM04 04 | 1000 | 6 | 2 | 2 | | |

MEDIUM DUTY (100 SERIES) V - 720 X 720

Drawer Opening : 100%
 Drawer Capacity : 100 kg Each Drawer
 Drawer Inner Size (mm) : 610 L x 610 D
 Powder Coating : Cabinet RAL 5015
 Drawer RAL 9001

| MODEL / SIZE (L X W) | PRODUCT CODE | HEIGHT (mm) | DRAWER HEIGHT / QTY | | | | |
|-------------------------|-----------------|----------------|------------------------|-----|-----|-----|-----|
| | | | 75 | 100 | 125 | 150 | 200 |
| MEPL V | M09 TM09 01 | 800 | 7 | | | | |
| (720 X 720) | M09 TM09 08 | 800 | 3 | 2 | 1 | 1 | |
| | | | | | | | |
| | M09 TM10 02 | 1000 | 9 | | | | |
| | M09 TM10 03 | 1000 | 6 | | | | |
| | M09 TM10 04 | 1000 | 6 | 2 | 2 | | |
| | | | | | | | |
| | M09 TM11 01 | 1450 | 4 | 3 | 2 | 2 | 1 |
| | M09 TM11 02 | 1450 | 9 | | | | |
| | | | | | | | |
| | M09 TM12 01 | 1625 | 3 | 6 | 2 | 3 | |
| | M09 TM12 04 | 1625 | 3 | 5 | 4 | | 1 |



MEDIUM DUTY (100 SERIES) VII - 1125 X 600

Drawer Opening : 100%
 Drawer Capacity : 100 kg Each Drawer
 Drawer Inner Size (mm) : 1015 L x 610 D
 Powder Coating : Cabinet RAL 5015
 Drawer RAL 9001

| MODEL / SIZE (L X W) | PRODUCT CODE | HEIGHT (mm) | DRAWER HEIGHT / QTY | | | | |
|-------------------------|-----------------|----------------|------------------------|-----|-----|-----|-----|
| | | | 75 | 100 | 125 | 150 | 200 |
| MEPL VII | M09 TM15 02 | 1000 | 9 | | | | |
| (1125 X 600) | M09 TM15 03 | 1000 | 6 | | | | |
| | M09 TM15 04 | 1000 | 6 | 2 | 2 | | |

Highlighted products are readily available in our stock, and we can deliver them within 10 working days.

TOOL CABINET



HEAVY DUTY (70.150 SERIES) V - 720 X 720

- Drawer Opening : Standard Pull Out-75%
Full Pull-out 100%
- Drawer Capacity : Standard Pull Out-75 kg UDL
each Drawer
Full Pull-out -150 kg UDL
each Drawer
- Drawer Inner Size (mm) : 610 L x 610 D
- Powder Coating : Cabinet RAL 5015
Drawer RAL 9001

| MODEL / SIZE (L X W) | PRODUCT CODE | HEIGHT (mm) | DRAWER HEIGHT / QTY | | | | |
|-------------------------|-----------------|----------------|------------------------|-----|-----|-----|-----|
| | | | 75 | 100 | 125 | 150 | 200 |
| MEPL V (720 X 720) | M09 TH08 04 | 800 | S3 | S2 | S1 | S1 | |
| | M09 TH08 08 | 800 | F7 | | | | |
| | M09 TH09 03 | 1000 | | | | | F6 |
| | M09 TH09 07 | 1000 | S2 | S3 | | | F3 |
| | M09 TH09 09 | 1000 | | F9 | | | |
| | M09 TH10 01 | 1450 | S4 | S3 | S2 | F2 | F1 |
| | M09 TH10 08 | 1450 | | | | | F9 |
| | M09 TH11 01 | 1625 | S3 | S5 | | F4 | F1 |
| | M09 TH11 03 | 1625 | S3 | S6 | S2 | F3 | |



Heavy Duty Slider - FP0



Light and Medium Duty Slider



Central Locking System



Slots In The Drawer to
Adjust the Partition



Labelling Strip On All Drawers

Highlighted products are readily available in our stock, and we can deliver them within 10 working days.


PARTITIONS

Material : MS
Finish : Powder Coating RAL 9001

Slotted Partitions (S) are Fixing Front to Back of the Drawers & Cross Partitions (C) are sub-dividing

1S + 2C PARTITIONS - FOR 40, 100, 70.150 SERIES CABINET

| DRAWER HEIGHT | II 560 L x 600 D | V 720 L x 720 D | VII 1125 L x 600 D |
|---------------|---------------------|--------------------|-----------------------|
| 75 | M09 PT02 01 | M09 PT03 01 | M09 PT04 01 |
| 100/125 | M09 PT02 02 | M09 PT03 02 | M09 PT04 02 |
| 150/175 | M09 PT02 03 | M09 PT03 03 | M09 PT04 03 |
| 200/250 | M09 PT02 04 | M09 PT03 04 | M09 PT04 04 |



2S + 6C PARTITIONS - FOR 40, 100, 70.150 SERIES CABINET

| DRAWER HEIGHT | II 560 L x 600 D | V 720 L x 720 D | VII 1125 L x 600 D |
|---------------|---------------------|--------------------|-----------------------|
| 75 | M09 PT02 05 | M09 PT03 05 | M09 PT04 05 |
| 100/125 | M09 PT02 06 | M09 PT03 06 | M09 PT04 06 |
| 150/175 | M09 PT02 07 | M09 PT03 07 | M09 PT04 07 |
| 200/250 | M09 PT02 08 | M09 PT03 08 | M09 PT04 08 |



3S + 8C PARTITIONS - FOR 40, 100, 70.150 SERIES CABINET

| DRAWER HEIGHT | II 560 L x 600 D | V 720 L x 720 D | VII 1125 L x 600 D |
|---------------|---------------------|--------------------|-----------------------|
| 75 | M09 PT02 09 | M09 PT03 09 | M09 PT04 09 |
| 100/125 | M09 PT02 10 | M09 PT03 10 | M09 PT04 10 |
| 150/175 | M09 PT02 11 | M09 PT03 11 | M09 PT04 11 |
| 200/250 | M09 PT02 12 | M09 PT03 12 | M09 PT04 12 |




4S + 10C PARTITIONS - FOR 40, 100, 70.150 SERIES CABINET

| DRAWER HEIGHT | II 560 L x 600 D | V 720 L x 720 D | VII 1125 L x 600 D |
|---------------|---------------------|--------------------|-----------------------|
| 75 | M09 PT02 13 | M09 PT03 13 | M09 PT04 13 |
| 100/125 | M09 PT02 14 | M09 PT03 14 | M09 PT04 14 |
| 150/175 | M09 PT02 15 | M09 PT03 15 | M09 PT04 15 |
| 200/250 | M09 PT02 16 | M09 PT03 16 | M09 PT04 16 |



5S + 18 C PARTITIONS - FOR 100, 70.150 SERIES CABINET

| DRAWER HEIGHT | II 560 L x 600 D | V 720 L x 720 D | VII 1125 L x 600 D |
|---------------|---------------------|--------------------|-----------------------|
| 75 | - | M09 PT03 17 | M09 PT04 17 |
| 100/125 | - | M09 PT03 18 | M09 PT04 18 |
| 150/175 | - | M09 PT03 19 | M09 PT04 19 |
| 200/250 | - | M09 PT03 20 | M09 PT04 20 |



Highlighted products are readily available in our stock, and we can deliver them within 10 working days.

TOOL TROLLEY

The Tool Trolley offers a secure and effective portable option to store and arrange tools and components used in everyday tasks. Its structured storage system prevents tools from being lost, promoting workplace organization. Equipped with wheels, tools become conveniently accessible, thereby enhancing productivity.

Features:

- Central locking system.
- Low friction telescopic ball bearing slides.
- Fully accessible drawers.
- Durable and rugged performance.
- Optimum traction.
- Handle for easy manoeuvrability.
- 5 mm thick black foam on top tray.
- Glossy finish with scratch and impact-resistant powder coating.



MTB 5

Code : M09 RL04 01
 Dimension (mm) : 685 L x 465 W x 833 H
 No of Drawer : 5
 Drawer Size (mm) : 75 H - 3 nos, 150 H - 2 nos
 Load Capacity : 40 kg Per Drawer
 Wheel : Ø 125, 2 Fix + 2 Swivel with Brake
 Powder Coating : Cabinet RAL 5015 and Drawer RAL 9001



MTB 7

Code : M09 RL05 01
 Dimension (mm) : 685 L x 465 W x 1000 H
 No of Drawer : 7
 Drawer Size (mm) : 75H - 5 nos , 150 H - 2 nos
 Load Capacity : 40 kg per Drawer
 Wheel : Ø 125, 2 Fix + 2 Swivel with Brake
 Powder Coating : Cabinet RAL 5015 and Drawer RAL 9001

MTB 12

Code : M09 RL06 01
 Dimension(mm) : 1055 L x 465 W x 1000 H
 No of Drawer : 12 nos
 Drawer Size (mm) : 75 H - 9 nos , 110 H - 1 nos ,
 150 H - 1 nos, 230 H - 1 nos.
 Load Capacity : 40 kg each Drawer
 Wheel : Ø 125, 2 Fix + 2 Swivel with Brake
 Powder Coating : Cabinet RAL 5015 and Drawer RAL 9001



Note: The assembly of the handle and wheels is the responsibility of the customer. We provide an instruction manual along with the product for guidance.

Please note that this assembly requirement is applicable to all three of the models mentioned



SMALL PARTS STORAGE BOX

Note: Storage box available at an additional cost.

The drawers can be equipped completely or in combination with other drawer divider elements. Specially designed for small parts and tools.

Material : ABS
 Colour : Blue

| PRODUCT CODE | DIMENSIONS (MM) | | |
|--------------|-----------------|-------|--------|
| | Length | Depth | Height |
| M09 AC02 01 | 74 | 74 | 45 |
| M09 AC02 04 | | | 74 |
| M09 AC02 02 | 148 | 74 | 45 |
| M09 AC02 05 | | | 74 |
| M09 AC02 03 | 148 | 148 | 45 |
| M09 AC02 06 | | | 74 |

Highlighted products are readily available in our stock, and we can deliver them within 10 working days.

CNC TOOL STORAGE

CNC Tool Storage is a safe, organized and efficient solution to store the varied sized of precision tools used in CNC Machines. The design of the tool holders provides a secured movement of tools on the Shop Floor. The usage of these trollies makes the work flow quicker by eliminating the ideal time and a fast accessibility to the tools during the changeovers.

Features:

- Ergonomic and modular design.
- Durable and rugged performance.
- Safe and secure grip of the tools.
- Optimum traction and manoeuvrability.
- Glossy finish with scratch and impact-resistant powder coating.



CNC A TYPE TROLLEY

Dimension (mm) : 705 L x 620 W x 900 H
 Load Capacity : 400 kg
 Levels : 7 (3 On either side and 1 on top)
 Handle : One Side
 Wheel : Ø125, 2 Fix + 1 Swivel +
 1 Swivel with Brake
 Powder Coating : RAL 9001 Handle
 Pocket RAL 3000

| PART CODE | HOLDER TYPE | HOLDER/ LEVEL | TOTAL HOLDER |
|-------------|-------------|---------------|--------------|
| M01 TR04 01 | BT - 30 | 10 | 70 |
| M01 TR04 02 | BT - 40 | 8 | 56 |
| M01 TR04 03 | BT - 50 | 5 | 35 |
| M01 TR04 04 | HSK - 50 | 8 | 56 |
| M01 TR04 05 | HSK - 63 | 7 | 49 |
| M01 TR04 06 | HSK - 100 | 5 | 35 |
| M01 TR04 07 | CAPTO - C6 | 8 | 56 |
| M01 TR04 08 | CAPTO - C8 | 5 | 35 |
| M01 TR04 09 | CAPTO - C10 | 5 | 35 |



SQ. TYPE TROLLEY

Dimension (mm) : 735 L x 490 W x 900 H
 Load Capacity : 400 kg
 Levels : 5 (1 No. either side and
 3 Nos. on top)
 Handle : One Side
 Wheel : Ø125, 2 Fix + 1 Swivel +
 1 Swivel with Brake
 Powder Coating : RAL 9001

| PART CODE | HOLDER TYPE | HOLDER/ LEVEL | TOTAL HOLDER |
|-------------|-------------|---------------|--------------|
| M01 TR02 01 | BT - 30 | 10 | 50 |
| M01 TR02 02 | BT - 40 | 8 | 40 |
| M01 TR02 03 | BT - 50 | 5 | 25 |
| M01 TR02 04 | HSK - 50 | 8 | 40 |
| M01 TR02 05 | HSK - 63 | 7 | 35 |
| M01 TR02 06 | HSK - 100 | 5 | 25 |
| M01 TR02 07 | CAPTO - C6 | 8 | 40 |
| M01 TR02 08 | CAPTO - C8 | 5 | 25 |
| M01 TR02 09 | CAPTO - C10 | 5 | 25 |

CNC RACK

Dimension (mm) : 670 L x 620 W x 1355 H
 Load Capacity : 400 kg
 Levels : 7
 Powder Coating : RAL 9001

| PART CODE | HOLDER TYPE | HOLDER/ LEVEL | TOTAL HOLDER |
|-------------|-------------|---------------|--------------|
| M01 RA01 01 | BT - 30 | 10 | 70 |
| M01 RA01 02 | BT - 40 | 8 | 56 |
| M01 RA01 03 | BT - 50 | 5 | 35 |
| M01 RA01 04 | HSK - 50 | 8 | 56 |
| M01 RA01 05 | HSK - 63 | 7 | 49 |
| M01 RA01 06 | HSK - 100 | 5 | 35 |
| M01 RA01 07 | CAPTO - C6 | 8 | 56 |
| M01 RA01 08 | CAPTO - C8 | 5 | 35 |
| M01 RA01 09 | CAPTO - C10 | 5 | 35 |



CNC TOOL CABINET

Dimension(mm) : 670 L x 600 W x 1450 H
 Drawers : F 425H - 3 Nos -
 (100% Open)
 150 kg /drawer
 : 75 H - 1 (70% Open)
 70 kg /drawer
 Powder Coating : Cabinet RAL 5015
 Drawer RAL 9001



| PART CODE | HOLDER TYPE | HOLDER/ LEVEL | TOTAL HOLDER |
|-------------|-------------|---------------|--------------|
| M01 CB01 01 | BT - 30 | 30 | 90 |
| M01 CB01 02 | BT - 40 | 24 | 72 |
| M01 CB01 03 | BT - 50 | 15 | 45 |
| M01 CB01 04 | HSK - 50 | 24 | 72 |
| M01 CB01 05 | HSK - 63 | 21 | 63 |
| M01 CB01 06 | HSK - 100 | 15 | 45 |
| M01 CB01 07 | CAPTO - C6 | 24 | 72 |
| M01 CB01 08 | CAPTO - C8 | 15 | 45 |
| M01 CB01 09 | CAPTO - C10 | 15 | 45 |

Highlighted products are readily available in our stock, and we can deliver them within 10 working days.

INDUSTRIAL COMPUTER CABINET

Our industrial computer cabinets offer robust PC protection in tough environments. With 2 shelves, including a pull-out option, they accommodate hardware and prevent dust damage. The sturdy polycarbonate door ensures monitor safety, while the lock provides security. Perfect for automotive, packing, and chemical industries, as well as offices and warehouses.

Features:

- Robust protection against harsh conditions.
- Effective dust and debris resistance.
- Ventilation fans maintain low temperatures.
- Accommodates 21" monitor size.
- Lockable drawer and cabinet for safety.
- Ample space to install printers and other accessories.
- 1 Spike guard 6 way type.
- Shelves for organized storage and setup.
- Glossy finish with scratch and impact-resistant powder coating.



STRAIGHT TYPE

Dimension (mm) : 750 L x 710 W x 1500 H
 Cabinet Usable Size (mm) : 447 L x 685 W x 430 H
 Shelf : 1 No
 Wheel : Ø 125, 2 Fix + 1 Swivel +
 1 Swivel with Brake
 Ground Clearance : 150 mm
 Powder Coating : Cabinet RAL 5015
 Drawer and Door RAL 9001

| STRAIGHT TYPE | PRODUCT CODE |
|---------------|--------------|
| WITH SHOE | M07 CC01 01 |
| WITH WHEEL | M07 CC02 01 |



INCLINED TYPE

Dimension (mm) : 600 L x 600 W x 1500 H
 Cabinet Usable Size (mm) : 500 L x 570 W x 415 H
 Shelf : 1 No
 Wheel : Ø 125, 2 Fix + 1 Swivel +
 1 Swivel with Brake
 Ground Clearance : 150 mm
 Powder Coating : Cabinet RAL 5015
 Drawer and Door RAL 9001

| INCLINED TYPE | PRODUCT CODE |
|---------------|--------------|
| WITH SHOE | M07 CC03 01 |
| WITH WHEEL | M07 CC04 01 |



Provision to Keep
Printer and CPU



With Wheel



Keyboard Drawer



Exhaust Fan

Highlighted products are readily available in our stock, and we can deliver them within 10 working days.

PRESS BRAKE BENDING TOOL CABINET

Press-Brake is an essential machine for every sheet metal company, but maintaining the dies and punches poses a significant challenge. The absence of proper storage increases the risk of tool damage and complicated tool setup. To mitigate this concern, an organized storage solution effectively reduces the changeover time by storing the dies and punches together and also provides protection against damage.

Features:

- Durable and rugged structure.
- Simple design complying to current standard sizes of dies and punches.
- Ease of maintenance.
- Effortless pullout of each shelf.
- Anti-topple design.
- 18 mm thick wood for safe storage.
- Slots in storage shelves to provide secure storage.
- Glossy finish with scratch and impact-resistant powder coating.



PRESS BRAKE BENDING TOOL CABINET WITHOUT DOOR

| | |
|--------------------------|--|
| Code | : M03 PS01 02 |
| Dimension (mm) | : 610 L x 900 W x 1200 H |
| No. of Drawers | : 5 |
| Load Capacity | : 200 kg Per Drawer |
| Wood Type | : Pine Wood on Each Level for better Lift of Tools |
| Maximum Tool Length (mm) | : 835 |
| Locking | : Designed to lock other Drawers when using 1 Drawer |
| Powder Coating | : Cabinet RAL 5015 & Drawer RAL 9001 |



PRESS BRAKE BENDING TOOL CABINET WITH DOOR

| | |
|--------------------------|--|
| Code | : M03 PS05 02 |
| Dimension (mm) | : 610 L x 900 W x 1200 H |
| No. of Drawers | : 5 |
| Load Capacity | : 200 kg Per Drawer |
| Wood Type | : Pine Wood on Each Level for better Lift of Tools |
| Maximum Tool Length (mm) | : 835 |
| Locking | : Designed to lock other Drawers when using 1 Drawer |
| Powder Coating | : Cabinet RAL 5015 & Drawer RAL 9001 |

Note: Doors are without a locking system



Highlighted products are readily available in our stock, and we can deliver them within 10 working days.

VERTICAL PULL OUT CABINET

As technology's role in production units grows, job complexity demands costly tools for business success. Ensuring a safe and secured storage is vital to prevent misplacement and damage. Pull-out cabinets offer an ideal solution with extending vertical drawer mechanisms for easy access, space optimization, and improved organization.

Features:

- Versatile options for different applications.
- Each drawer has a load capacity of 600kg.
- Lockable individual pullout shelves.
- Rollers at shelf bottoms for effortless movement.
- Extraction handles for each shelf.
- Durability for rugged performance.
- Secure tool grip for safety.
- Choice of FPO bins on shelves or hanging.
- Simple relocation via forklift.
- Glossy finish with scratch and impact-resistant powder coating.



PULL OUT CABINET

Drawer Height (mm) : 1800
 Load Capacity Drawer : 600 Kg UDL
 Shelf : All Drawers have 04 Shelf
 Powder Coating : Cabinet RAL 5015
 Drawer RAL 9001

| PRODUCT CODE | LENGHT | DIMENSIONS (mm) | | DRAWER WIDTH 190 (mm) | DRAWER WIDTH 320 (mm) |
|--------------|--------|-----------------|------|-----------------------|-----------------------|
| DEPTH | HEIGHT | | | | |
| M03 PB01 01 | 660 | 1050 | 1800 | 3 | - |
| M03 PB02 01 | 1040 | 1050 | 1800 | 5 | - |
| M03 PB02 02 | 1040 | 1050 | 1800 | - | 3 |
| M03 PB02 03 | 1040 | 1050 | 1800 | 3 | 1 |
| M03 PB03 01 | 660 | 1300 | 1800 | 3 | - |
| M03 PB04 01 | 1040 | 1300 | 1800 | 5 | - |
| M03 PB04 02 | 1040 | 1300 | 1800 | - | 3 |
| M03 PB04 03 | 1040 | 1300 | 1800 | 3 | 1 |



PERFO CABINET WITH HINGED DOOR

Sturdy and roomy, Perfo cabinets are ideally suited to any work environment and, thanks to the possibility of joining multiple modules together, can be used to create actual furniture elements for workshops, warehouses and laboratories. The Perfo cabinet with hinged doors comes with a solid sheet metal structure and can be configured - when placing the order or even after - in various versions, depending on its intended use and on specific requirements.

Features:

- Drawers & shelves.
- Everything within reach (accessories for storing smallwares).
- The inside of the metal doors can be equipped with perforated panels, all doors mount a key-operated lock.
- Can be used for shipping the cabinet without using wooden pallets.
- Glossy finish with scratch and impact-resistant powder coating.



PERFO - HINGE DOOR CABINET

Dimension (mm) : 1000 L x 650 W x 2100 H
 Drawer Height : 100 mm H
 Drawer Opening : 100%
 Drawer inner Size (mm) : 875 L x 460 D x 75 H

Ground Clearance : 150 mm
 Load Capacity : Drawer - 100 kg, Shelf - 40 kg and Perfo panel - 40 kg
 Shelf Adjustment : At every 25 mm
 Powder Coating : Cabinet RAL 5015 and Shelf, Drawer, Door RAL 9001

PERFO DOOR



| PRODUCT CODE | NO. OF SHELF | NO. OF DRAWER | NO. OF PERFO PANEL |
|--------------|--------------|---------------|---------------------------------------|
| M02 DD01 01 | 4 | 2 | 3 (2 on door + 1 full length on back) |
| M02 DD02 01 | 2 | 3 | 3 (2 on door + 1 half length on back) |

DOUBLE PLAIN AND PERFO DOOR



| PRODUCT CODE | NO. OF SHELF | NO. OF DRAWER | NO. OF PERFO PANEL |
|--------------|--------------|------------------|--------------------|
| M02 DH02 01 | 4 | 1 (Top & Bottom) | - |
| M02 DH01 01 | 4 | 1 (Top & Bottom) | 4 (on door) |

PLAIN DOOR



| PRODUCT CODE | NO. OF SHELF | NO. OF DRAWER | NO. OF PERFO PANEL |
|--------------|--------------|---------------|--------------------|
| M02 DD07 01 | 4 | 2 | - |

The drawer assembly's positioning can be adjusted within a 1000mm height range to align with ergonomic considerations.

GLASS DOOR




| PRODUCT CODE | NO. OF SHELF | NO. OF DRAWER | NO. OF PERFO PANEL |
|--------------|--------------|---------------|-----------------------|
| M02 DD05 01 | 4 | 2 | 1 full length on back |
| M02 DD06 01 | 2 | 3 | 1 half length on back |

PERFO ACCESSORIES - SET OF 60 PIECES

Product Code : MEPL05150210011

| | | | |
|---------------------|--------|----------------------|-------|
| Single Hook L 20 mm | 10 Nos | Double Hook L 75 mm | 5 Nos |
| Single Hook L 40 mm | 10 Nos | Double Hook L 100 mm | 5 Nos |
| Single Hook L 85 mm | 10 Nos | Spanner Holder | 1 Nos |
| Double Hook L 40 mm | 8 Nos | Screw Driver Holder | 1 Nos |
| Double Hook L 60 mm | 8 Nos | Allen Key Holder | 1 Nos |
| | | Saw Holder | 1 Nos |

Note: Perfo Accessories available at an additional cost.



Highlighted products are readily available in our stock, and we can deliver them within 10 working days.

STORAGE CUPBOARD - KNOCKDOWN

Industrial cupboards serve a vital purpose in various industries by providing a secure and an organized storage solutions for tools, equipment, materials, documents and many other items. These cupboards are designed to withstand the demands of industrial environments, offering durability, protection, clutter-free workspace, ease of accessibility and efficient space utilization.

Features:

- Versatility for various purposes.
- Various options tailored to specific applications.
- Height-adjustable shelving to suit requirements.
- With lock & key.
- Texture finish with scratch and impact-resistant powder coating.



PLAIN SWING DOOR - LIGHT DUTY

| | |
|----------------|-----------------------|
| Code | : M12 SW01 03 |
| Dimension (mm) | : 900 x 450 x 2000 |
| Shelf | : 4 |
| Compartment | : 5 |
| Door Type | : MS |
| Load Capacity | : 60 Kg UDL per shelf |
| Powder Coating | : RAL 7035 |



TRANSPARENT SWING DOOR - LIGHT DUTY

| | |
|----------------|-----------------------|
| Code | : M12 SW02 03 |
| Dimension (mm) | : 900 x 450 x 2000 |
| Shelf | : 4 |
| Compartment | : 5 |
| Door Type | : Glass |
| Load Capacity | : 60 Kg UDL per shelf |
| Powder Coating | : RAL 7035 |

TRANSPARENT SLIDING DOOR - LIGHT DUTY

| | |
|----------------|-----------------------|
| Code | : M12 SL03 01 |
| Dimension (mm) | : 2000 x 450 x 2000 |
| Shelf | : 4 |
| Compartment | : 5 |
| Door Type | : Glass |
| Load Capacity | : 60 Kg UDL per shelf |
| Powder Coating | : RAL 7035 |



Highlighted products are readily available in our stock, and we can deliver them within 10 working days.


Note: Our cupboards are efficiently packed in compact boxes for convenient transportation and can be easily assembled at your location.

MACHINE SIDE CABINET

The Machine Side cabinets are designed for storing equipment, tools, spare parts, manuals, documents and other essential items related to the machinery or equipment in a safe and tidy way in various environments, also near machinery.

Features:

- With lock and key.
- Aesthetically appealing.
- Drawer and shelves.
- Glossy finish with scratch and impact-resistant powder coating.



SINGLE DOOR CABINET

| | |
|------------------|--|
| Code | : M07 MC01 01 |
| Dimension(mm) | : 500 L x 500 W x 950 H |
| Load Capacity | : 60 kg Per Shelf |
| Shelf | : Single |
| Door | : Door with Lock Key |
| Top Surface (mm) | : 6 mm Rubber Sheet on Top |
| Powder Coating | : Cabinet RAL 5015 & Door, Drawer RAL 9001 |



DOUBLE DOOR CABINET

| | |
|------------------|--|
| Code | : M07 MC02 05 |
| Dimension(mm) | : 950 L x 500 W x 950 H |
| Load Capacity | : 60 kg Per Shelf |
| Door | : Double Hinge Door with Lock & Key |
| Shelf | : Single |
| Drawer | : Single |
| Top Surface (mm) | : 6 mm Rubber Sheet on Top |
| Powder Coating | : Cabinet RAL 5015 & Door, Drawer RAL 9001 |

INDUSTRIAL LOCKER - KNOCKDOWN

Modular lockers are flexible storage units designed to offer tailored organization solutions in various environments. With customizable configurations and secure compartments, they provide personalized storage options while maximizing space efficiency. These lockers are commonly used in workplaces, schools, and public areas to keep personal items secure and maintain order.

Features:

- Light weight and modular design in knockdown condition provides flexibility in relocation with ease.
- Options of different door sizes in each vertical unit.
- Add-on module concept for seamless future expansion.
- Options of adding shelves in compartments.
- Provision of name tag.
- With key and lock.
- Texture finish with scratch and impact-resistant powder coating.



LOCKER

Dimension (mm) : 380 L x 457 W x 1830 H

Powder Coating : RAL 7035

| MODULE TYPE | PRODUCT CODE | COLUMN X DOOR | COMPARTMENT SIZE | | | BOTTOM COMPARTMENTS SIZE | | |
|-------------|--------------|---------------|------------------|-------|--------|--------------------------|-------|--------|
| | | | Length | Depth | Height | Length | Depth | Height |
| Main | M17 KL03 01 | 1 X 2 | 370 | 415 | 820 | 370 | 415 | 125 |
| Add On | M17 KL04 01 | | | | | | | |
| Main | M17 KL03 02 | 1 X 3 | 370 | 415 | 540 | 370 | 415 | 125 |
| Add On | M17KL04 02 | | | | | | | |
| Main | M17 KL03 03 | 1 X 4 | 370 | 415 | 400 | 370 | 415 | 125 |
| Add On | M17 KL04 03 | | | | | | | |
| Main | M17 KL03 04 | 1 X 5 | 370 | 415 | 320 | NA | | |
| Add On | M17 KL04 04 | | | | | | | |
| Main | M17 KL03 05 | 1 X 6 | 370 | 415 | 260 | NA | | |
| Add On | M17 KL04 05 | | | | | | | |



Compartment with Shelf



Provision for Lock & Name Tag



Main Module



Add On Module



Main Module

Add On Module

Note: Our Lockers are efficiently packed in compact boxes for convenient transportation and can be easily assemble at your location.

ASSEMBLY TABLE - KNOCKDOWN

Assembly tables are versatile, perfect for grouping components and equipment in one place. With swivel arms, containers, shelves, and tool panels, they're ideal for picking, kanban, or lean production. Configurable for effective organization, enhancing ergonomics and safety. Streamlining workflows optimizes processes, boosting efficiency and productivity across job orders.

Features:

- Light weight and modular design in knockdown condition provides flexibility in relocation with ease.
- Ergonomically design.
- Wide range of accessories to suit your requirement.
- Levelers of height adjustment.
- Maintenance free.
- Easy to assemble.
- Glossy finish with scratch and impact-resistant powder coating.



BASIC

- Features : Modular structure and easy for assemble
MS Top with 1.5 mm thick White Lilly Carpet
Working height 850 mm Adjustable + 50 with Leveller
- Load Capacity : Max. 250 kg UDL on Top Surface
- Powder Coating : RAL 5015

| PRODUCT CODE | DIMENSIONS (L X D) mm |
|--------------|-----------------------|
| M08 MT02 01 | 700 x 700 |
| M08 MT02 02 | 1000 x 700 |
| M08 MT02 03 | 1200 x 700 |
| M08 MT02 04 | 1400 x 700 |
| M08 MT02 05 | 1800 x 700 |



UPPER FRAME (L -TYPE)

- Features : Upper Frame assembly has attached to the Basic Table
Upper Frame height is 1300 mm from Top Surface
- Powder Coating : RAL 5015

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC22 01 | 700 |
| M08 AC22 02 | 1000 |
| M08 AC22 03 | 1200 |
| M08 AC22 04 | 1400 |
| M08 AC22 05 | 1800 |

UPPER FRAME-STRAIGHT TYPE

- Features : Upper Frame assembly has attached to the Basic Table
Upper Frame height is 750 mm from Top Surface
- Powder Coating : RAL 5015

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC34 01 | 700 |
| M08 AC34 02 | 1000 |
| M08 AC34 03 | 1200 |
| M08 AC34 04 | 1400 |
| M08 AC34 05 | 1800 |



FPO BIN STAND

- Features : To keep FPO Bin only at Front Side
(FPO 5, 10, 15 and 25)
- Load Capacity : Max. 25 kg UDL
- Powder Coating : RAL 5015

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC01 01 | 700 |
| M08 AC01 02 | 1000 |
| M08 AC01 03 | 1200 |
| M08 AC01 04 | 1400 |
| M08 AC01 05 | 1800 |

ELECTRICAL BOX UNIT

- Features : In one standard Switch Box Plate consists of
For Switch and Socket - 5A, 15A (01 No each)
For Tube Light-5A Switch (01 No)
For Dummy Location - End Cap (01 No)
- Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) | SWITCH BOX |
|--------------|-------------|-------------|
| M08 AC03 01 | 700 | Single Side |
| M08 AC03 02 | 1000 | Single Side |
| M08 AC03 06 | 1200 | Both Side |
| M08 AC03 07 | 1400 | Both Side |
| M08 AC03 08 | 1800 | Both Side |



BOX FILE SHELF

- Features : To keep the Box File and the Depth is 310 mm
- Load Capacity : Max. 100 kg UDL
- Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) | NO. OF BOX FILE |
|--------------|-------------|-----------------|
| M08 AC02 01 | 700 | 6 |
| M08 AC02 02 | 1000 | 9 |
| M08 AC02 03 | 1200 | 10 |
| M08 AC02 04 | 1400 | 12 |
| M08 AC02 05 | 1800 | 16 |

DISPLAY UNIT

- Features : To display the drawings and assembly instruction
- Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC04 01 | 700 |
| M08 AC04 02 | 1000 |
| M08 AC04 03 | 1200 |
| M08 AC04 04 | 1400 |
| M08 AC04 05 | 1800 |



ASSEMBLY TABLE



PERFO PANEL FULL LENGTH


Features : To keep tools and height is 610 mm
Load Capacity : Max 25 kg UDL
Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC05 03 | 700 |
| M08 AC05 06 | 1000 |
| M08 AC05 07 | 1200 |
| M08 AC05 08 | 1400 |
| M08 AC05 10 | 1800 |

PERFO ACCESSORIES SETS OF 36 PIECES

Product Code : MEPL M05 PP03 08
Single Hook L 20 mm 05 Nos
Single Hook L 40 mm 10 Nos
Single Hook L 85 mm 10 Nos
Double Hook L 40 mm 05 Nos

Spanner Holder 1 Nos
Screw Driver Holder 1 Nos
Allen Key Holder 1 Nos
Saw Holder 1 Nos
Drill Bit Holder 2 Nos



SOFT BOARD FULL LENGTH


Features : To pin instructions, reports and height is 610 mm
Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC07 03 | 700 |
| M08 AC07 06 | 1000 |
| M08 AC07 07 | 1200 |
| M08 AC07 08 | 1400 |
| M08 AC07 10 | 1800 |

WHITE BOARD FULL LENGTH

Features : To write the instructions and height is 610 mm
Board Type : Non - Magnetic
Powder Coating : RAL 9001

| PRODUCT CODE | DIMENSIONS (L X D) mm |
|--------------|-----------------------|
| M08 AC09 03 | 700 |
| M08 AC09 06 | 1000 |
| M08 AC09 07 | 1200 |
| M08 AC09 08 | 1400 |
| M08 AC09 10 | 1800 |



TILTING SHELF

Features : To keep the FPO Bin, Boxes and Depth is 325 mm
Load Capacity : Max 100 kg UDL
Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC12 01 | 700 |
| M08 AC12 02 | 1000 |
| M08 AC12 03 | 1200 |
| M08 AC12 04 | 1400 |
| M08 AC12 05 | 1800 |

BOTTOM SHELF PANEL TYPE

Features : To keep Boxes and Loose Parts with max capacity 200 kg
Powder Coating : RAL 5015

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC14 01 | 700 |
| M08 AC14 02 | 1000 |
| M08 AC14 03 | 1200 |
| M08 AC14 04 | 1400 |
| M08 AC14 05 | 1800 |



Highlighted products are readily available in our stock, and we can deliver them within 10 working days.



BOTTOM SHELF PLAIN TYPE

Features : To keep Boxes and Bins with max. capacity 100 kg
Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC16 01 | 700 |
| M08 AC16 02 | 1000 |
| M08 AC16 03 | 1200 |
| M08 AC16 04 | 1400 |
| M08 AC16 05 | 1800 |

TROLLEY WITH RAIL

Features : For Hanging Air Gun, Soldering m/c with max. capacity 5 kg
Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC17 01 | 700 |
| M08 AC17 02 | 1000 |
| M08 AC17 03 | 1200 |
| M08 AC17 04 | 1400 |
| M08 AC17 06 | 1800 |



SPRING BALANCER

Features : Used for Hanging Tools

| PRODUCT CODE | LOAD CAPACITY (kg) |
|--------------|--------------------|
| M08 AC20 07 | 3 |
| M08 AC20 08 | 5 |



DOCUMENT FOLDER

Features : To display the drawings and assembly instruction

| PRODUCT CODE | SET OF PAGES | FOLDER TYPE |
|--------------|--------------|-------------|
| M08 AC20 01 | 5 | A4 |
| M08 AC20 02 | 10 | |
| M08 AC20 03 | 5 | A3 |
| M08 AC20 04 | 10 | |

TUBELIGHT WITH COVER (LED)

Features : Provides an optimal lighting level of 300 lux on the top surface

| PRODUCT CODE | LENGTH (mm) |
|--------------|----------------|
| M08 AC25 11 | (600 mm) 2 FT |
| M08 AC25 15 | (1200 mm) 4 FT |




DRAWER UNIT

Features : Drawers have Full Pull Out (100% Open)
Powder Coating : RAL 9001


| PRODUCT CODE | PRODUCT DESCRIPTION | DRAWER CAPACITY (kg) | OVERALL SIZE (L X D X H) mm | USABLE SIZE (L X D X H) mm |
|--------------|---------------------|----------------------|-----------------------------|----------------------------|
| M08 AC11 01 | 1 Drawer unit | 20 | 385 x 510 x 185 | 315 x 460 x 85 |
| M08 AC11 02 | 2 Drawer unit | 20 | 385 x 510 x 308 | 315 x 460 x 85 |
| M08 AC11 03 | 3 Drawer unit | 20 | 385 x 510 x 431 | 315 x 460 x 85 |

Note: 2 nos fixing angle provided with each drawer unit.


ASSEMBLY TABLE




MAT 101




MAT 102



MAT 103




MAT 104



MAT 105




MAT 106




MAT 107



MAT 108



MAT 109



MAT 110


Note: Our Assembly Tables are efficiently packed in compact boxes for convenient transportation and can be easily assembled at your location.

WORK BENCH - KNOCKDOWN

Work benches have a broad spectrum of applications and are used differently depending upon their purpose. Industrial work benches are an essential equipment for warehouses and manufacturing operations wherein they are commonly used for assembly, finishing and component repair. These benches are vital for creating productive, safe and centralized workplaces.

Features:

- Light weight and modular design in knockdown condition provides flexibility in relocation with ease.
- Ergonomic design.
- Wide range of accessories to suit your requirement.
- Smooth work surface.
- Vibration resistance.
- Maintenance free.
- Easy to assemble.
- Glossy finish with scratch and impact-resistant powder coating.



BASIC

Features : Working Height is 850 mm
Table Top is 48 mm thick
Beach Wood

Load Capacity : 1000 kg

Powder Coating : RAL 5015

| PRODUCT CODE | DIMENSIONS (L X D) mm |
|--------------|-----------------------|
| M11 BW01 01 | 1500 x 700 |
| M11 BW01 02 | 1800 x 700 |
| M11 BW01 03 | 2000 x 700 |



UPPER FRAME (L -TYPE)

Features : Upper Frame Assembly is attached to the Basic Work Bench
This is used for Top Accessories Attachment
Frame (L - type) height is 1300 mm from Top Surface

Powder Coating : RAL 5015

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M11 AC01 01 | 1500 |
| M11 AC01 02 | 1800 |
| M11 AC01 03 | 2000 |

UPPER FRAME (STRAIGHT - TYPE)

Features : Upper Frame Assembly is attached to the Basic Work Bench
This is used for Top Accessories Attachment.
Frame (Straight type) height is 750 mm from Top Surface

Powder Coating : RAL 5015

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M11 AC02 01 | 1500 |
| M11 AC02 02 | 1800 |
| M11 AC02 03 | 2000 |



FOOTREST

Features : Foot Rest 300 mm width is fixed to bottom side of Work Bench

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M11 CA10 04 | 1500 |
| M11 CA10 05 | 1800 |
| M11 CA10 06 | 2000 |

WORK BENCH

TABLE TOP SURFACE

Features : Loose Rubber Sheet put on Top of the Table Top

Powder Coating : MS Powder Coated Sheet with Front Side Folded and 3 Side Open

| PRODUCT CODE | LENGTH (mm) | TYPE OF SURFACE |
|--------------|-------------|---------------------------------------|
| M11 AC04 01 | 1500 | Rubber Sheet 6mm Thick (Black Colour) |
| M11 AC04 02 | 1800 | |
| M11 AC04 03 | 2000 | |
| M11 AC08 01 | 1500 | MS Sheet 2mm Thick (Powder Coated) |
| M11 AC08 02 | 1800 | |
| M11 AC08 03 | 2000 | |



TROLLEY WITH RAIL

Features : For Hanging Air Gun, Soldering m/c with max Capacity 5 kg

Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC17 05 | 1500 |
| M08 AC17 06 | 1800 |
| M08 AC17 07 | 2000 |

SPRING BALANCER

Features : Used for Hanging Tools

| PRODUCT CODE | LOAD CAPACITY (kg) |
|--------------|--------------------|
| M08 AC20 07 | 3 |
| M08 AC20 08 | 5 |



ELECTRICAL BOX UNIT

Features : In One Standard Switch Box Plate consists of
For Switch and Socket - 5A, 15A (01 No each)
For Tube Light - 5A Switch (01 No)
For Dummy Location - End Cap (01 No)

Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) | SWITCH BOX |
|--------------|-------------|------------|
| M08 AC03 10 | 1500 | Both side |
| M08 AC03 08 | 1800 | Both side |
| M08 AC03 13 | 2000 | Both side |

TUBELIGHT WITH COVER (LED)

Features : Provides an optimal lighting level of 300 lux on the top surface

| PRODUCT CODE | LENGTH (mm) |
|--------------|----------------|
| M08 AC25 11 | (600 mm) 2 FT |
| M08 AC25 15 | (1200 mm) 4 FT |





SURFACE BOX UNIT

Features : In One Standard Surface Box Plate consists of
For Switch and Socket - 5A, 15A (01 No each)
For Tube Light - 5A Switch (01 No)
For Dummy Location - End Cap (01 No).

Powder Coating : RAL 9001

| PRODUCT CODE | PART DESCRIPTION |
|--------------|----------------------------------|
| M11 AC15 01 | Surface Box with Modular Plate 8 |

TOOL CABINET LIGHT DUTY

Drawer Opening : 100%
Drawer Capacity (kg) : 40 kg Each Drawer
Drawer Inner Size (mm) : 460 L x 490 D
Powder Coating : Cabinet RAL 5015
Drawer RAL 9001

| PRODUCT CODE | MODEL NO. / SIZE (L X W) | HEIGHT (mm) | DRAWER HEIGHT / QTY. |
|--------------|--------------------------|-------------|----------------------|
| M09 TL08 01 | II (560 x 600) | 425 | 100 125 150 2 1 - |



TOOL CABINET MEDIUM DUTY

Drawer Opening : 100%
Drawer Capacity (kg) : 100 kg Each Drawer
Drawer Inner Size (mm) : 460 L x 490 D
Powder Coating : Cabinet RAL 5015
Drawer RAL 9001

| PRODUCT CODE | MODEL NO. / SIZE (L X W) | HEIGHT (mm) | DRAWER HEIGHT / QTY. |
|--------------|--------------------------|-------------|----------------------|
| M09 TM03 01 | II (560 x 600) | 800 | 100 125 150 7 - - |


DRAWER PARTITION - 2 SLOTTED & 6 CROSS MEPL M09 TM03 01

| DRAWER HEIGHT | II 560 L x 600 D |
|---------------|---------------------|
| 100/125 | M09 PT02 06 |

Note: Partitions supplied at an additional cost.



WORK BENCH



CABINET WITH DOOR


Dimension : 560 L x 600 D (mm)
Features : Having 01 Middle Shelf of 50 kg UDL
and Door with Lock and Key
Powder Coating : Cabinet RAL 5015 Door RAL 9001

| PRODUCT CODE | PART DESCRIPTION |
|--------------|---------------------------------------|
| M11 CA12 02 | Cabinet 800H with Door (RH Side Open) |

TILTING SHELF

Features : To keep the FPO Bin, Boxes and
Depth is 325 mm
Load Capacity : Max. 100 kg UDL
Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC12 06 | 1500 |
| M08 AC12 05 | 1800 |
| M08 AC12 07 | 2000 |




PERFO PANEL FULL LENGTH

Features : To keep Tools and Height is 610 mm
Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC05 09 | 1500 |
| M08 AC05 10 | 1800 |
| M08 AC05 11 | 2000 |

PERFO ACCESSORIES SETS OF 36 PIECES

| | | |
|---------------------------------|---------------------|-------|
| Product Code : MEPL M05 PP03 08 | Spanner Holder | 1 Nos |
| Single Hook L 20 mm 05 Nos | Screw Driver Holder | 1 Nos |
| Single Hook L 40 mm 10 Nos | Allen Key Holder | 1 Nos |
| Single Hook L 85 mm 10 Nos | Saw Holder | 1 Nos |
| Double Hook L 40 mm 05 Nos | Drill Bit Holder | 2 Nos |



Highlighted products are readily available in our stock, and we can deliver them within 10 working days.



SOFT BOARD (FULL LENGTH)


Features : To Pin Instructions, Reports and Height is 610 mm
Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC07 09 | 1500 |
| M08 AC07 10 | 1800 |
| M08 AC07 11 | 2000 |

WHITE BOARD (FULL LENGTH)

Features : To write the instructions and height is 610 mm
Board Type : Non-magnetic
Powder Coating : RAL 9001

| PRODUCT CODE | LENGTH (mm) |
|--------------|-------------|
| M08 AC09 09 | 1500 |
| M08 AC09 10 | 1800 |
| M08 AC09 11 | 2000 |



BENCH VICE

| PRODUCT CODE | PART DESCRIPTION |
|--------------|------------------|
| M11 AC18 02 | Bench Vice - 4' |
| M11 AC18 01 | Bench Vice - 6' |

DOCUMENT FOLDER

Features : To display the drawings and assembly instruction

| PRODUCT CODE | SET OF PAGES | FOLDER TYPE |
|--------------|--------------|-------------|
| M08 AC20 01 | 5 | A4 |
| M08 AC20 02 | 10 | |
| M08 AC20 03 | 5 | A3 |
| M08 AC20 04 | 10 | |




WORK BENCH

WORK BENCH WITH TOOL CABINET & CABINET DOOR

- Working Height (mm) : 850
- Load Capacity : 1000 kg
- Table Top (mm) : 48 Thick Beach Wood
- Too Cabinet Size (mm) : 560 L x 600 D x 650 H
- Drawer Size (mm) : F100 - 1, F150 - 3 on LH Side
F100 - 3, F125 - 2 on Middle
- Drawer Inner Size (mm) : 460 L x 490 D
- Drawer Opening : 100%
- Drawer Capacity : 40 kg Each Drawer
- Door Cabinet Size : 610 L x 600 D x 650 H (mm) on RH Side
- Powder Coating : Cabinet RAL 5015
Drawer RAL 9001

| PRODUCT CODE | DIMENSIONS (L X W X H) mm |
|--------------|---------------------------|
| M11 BW04 01 | 2000 x 700 x 848 |



WORK BENCH HEXAGONAL

- Working Height (mm) : 850
- Load Capacity : 1000 kg
- Table Top (mm) : 48 Thick Beach Wood
- Too Cabinet Size (mm) : 560 L x 600 D x 800 H
- Too Cabinet Qty : 6 Nos
- Drawer Size (mm) : F100 - 3, F125 - 2, F150 - 1
- Drawer Inner Size (mm) : 460 L x 490 D
- Drawer Opening : 100%
- Drawer Capacity : 40 kg Each Drawer
- Powder Coating : Cabinet RAL 5015
Drawer RAL 9001

Bench Vise 4"/6" - Optional Accessory (Excluded)

| MODEL TYPE | PRODUCT CODE | DIMENSIONS (L X W X H) mm |
|------------------------------------|--------------|---------------------------|
| Workbench with Plain Top | M11 MD09 01 | 2400 x 2100 x 848 |
| Workbench with Top Electric Socket | M11 MD09 02 | 2400 x 2100 x 848 |

WORK BENCH TROLLEY

| | |
|------------------------|---|
| Working Height (mm) | : 900 |
| Load Capacity | : 400 kg |
| Table Top (mm) | : 48 Thick Beach Wood |
| Too Cabinet Size (mm) | : 560 L x 600 D x 425 H |
| Drawer Size (mm) | : F100 - 2, F125 - 1 on RH Side |
| Drawer Inner Size (mm) | : 460 L x 490 D |
| Drawer Opening | : 100% |
| Drawer Capacity | : 40 kg Each Drawer |
| Wheel | : Ø 125, 2 Fix + 1 Swivel + 1 Swivel with Brake |
| Powder Coating | : Cabinet RAL 5015 Drawer RAL 9001 |

| PRODUCT CODE | DIMENSIONS (L X W X H) mm |
|--------------|---------------------------|
| M11 WT01 01 | 1500 x 700 x 900 |
| M11 WT01 02 | 1800 x 700 x 900 |




WORK BENCH WITH TOOL CABINET PAD LOCK


| | |
|------------------------|---------------------------------------|
| Working Height (mm) | : 850 |
| Load Capacity | : 1000 kg |
| Table Top (mm) | : 48 Thick Beach Wood |
| Too Cabinet Size (mm) | : 720 L x 720 D x 800 H |
| Drawer Size (mm) | : F100 - 4, F150 - 2 |
| Drawer Inner Size (mm) | : 610 L x 610 D |
| Drawer Opening | : 100% |
| Drawer Capacity | : 150 kg Each Drawer |
| Lock | : Pad Lock with Flap and Lock |
| Powder Coating | : Cabinet RAL 5015 Drawer RAL 9001 |

| PRODUCT CODE | DIMENSIONS (L X W X H) mm |
|--------------|---------------------------|
| M11 BW05 01 | 1200 x 850 x 848 |

WORK BENCH



MWB 101



MWB 102



MWB 103



MWB 104



MWB 105



MWB 106



MWB 107



MWB 108



MWB 109

Note: Our Work Benches are efficiently packed in compact boxes for convenient transportation and can be easily assemble at your location.

PLATFORM TROLLEY - KNOCKDOWN

Material handling trolleys efficiently transport goods in various settings. With diverse configurations and sizes, they're used across industries like manufacturing, retail, and healthcare to streamline item movement, reducing manual labour. These trolleys, equipped with wheels, handles, and sometimes shelves, enhance productivity by simplifying goods transportation.

Features:

- Light weight and modular design in knockdown condition provides flexibility in relocation with ease.
- Diverse choices based on the applications.
- Wide range of uses and objectives.
- Durable and rugged performance.
- Safe and secure grip of the tools.
- Optimum traction and manoeuvrability.
- Glossy finish with scratch and impact-resistant powder coating.



PLATFORM TROLLEY 01 LEVEL - LIGHT DUTY

Loading Level : 1
Wheel : 2 Fix + 1 Swivel +
1 Swivel with Brake
Powder Coating : RAL 1003

| PRODUCT CODE | DIMENSIONS (mm) | LOADING HEIGHT (mm) | TROLLEY PER LEVEL CAPACITY (kg) | WHEEL DIA |
|--------------|-----------------|---------------------|---------------------------------|-----------|
| M10 PT10 01 | 850 X 625 | 180 | 200 | 100 |
| M10 PT10 02 | 1250 X 825 | 200 | | |



PLATFORM TROLLEY 02 LEVEL - LIGHT DUTY

Loading Level : 2
Wheel : 2 Fix + 1 Swivel +
1 Swivel with Brake
Powder Coating : RAL 1003

| PRODUCT CODE | DIMENSIONS (mm) | LOADING HEIGHT (mm) | TROLLEY PER LEVEL CAPACITY (kg) | WHEEL DIA |
|--------------|-----------------|---------------------|---------------------------------|-----------|
| M10 PT12 01 | 850 X 625 | 180/950 | 200 | 100 |
| M10 PT12 02 | 1050 X 675 | 180/950 | | |

PLATFORM TROLLEY 03 LEVEL - LIGHT DUTY

Loading Level : 3
Wheel : 2 Fix + 1 Swivel +
1 Swivel with Brake
Powder Coating : RAL 1003

| PRODUCT CODE | DIMENSIONS (mm) | LOADING HEIGHT (mm) | TROLLEY PER LEVEL CAPACITY (kg) | WHEEL DIA |
|--------------|-----------------|---------------------|---------------------------------|-----------|
| M10 PT14 01 | 850 X 625 | 180/580/950 | 200 | 100 |
| M10 PT14 02 | 1050 X 675 | 180/580/951 | | |



CHIP TROLLEY - TILTING TYPE

Product Code : M10 CT01 01
Dimension(mm) : 800 L X 500 D X 1000 H
Load Capacity : 200
Wheel : 2 Fix + 1 Swivel + 1 Swivel with Brake
Powder Coating : RAL 1003

Highlighted products are readily available in our stock, and we can deliver them within 10 working days.

Note: Our Trolleys are efficiently packed in compact boxes for convenient transportation and can be easily assembled at your location.

BIN TROLLEY - KNOCKDOWN

The bin trolley used to transform a traditional industrial tool trolley into a mobile vertical shelving, a warehouse on wheels so you can have all work equipment and materials readily on hand.

The bin cart warehouse picking trolley by Metafold is the ideal solution for logistics and for storing medium- and small-size material such as smallwares, spare parts, electrical equipment, etc.

Features:

- Light weight and modular design in knockdown condition provides flexibility in relocation with ease.
- The ideal solution for small parts storage.
- Wide range of bin holder solutions.
- Integration with ergo work swivel arms.
- Transportation of various tools and bins.
- A pushing handle facilities easy handling.
- Ergonomically lower level of shelf is 450 mm.
- The shelves are adjustable in increments of 35 mm pitch.
- Glossy finish with scratch and impact-resistant powder coating.



FPO BIN TROLLEY & RACK (BOTH SIDES)

Load Capacity : 400 kg
 Wheel : Ø125, 2 Fix + 1 Swivel +
 1 Swivel with Brake
 Powder Coating : Trolley RAL 5015 Shelf RAL 9001



| MODEL TYPE | PRODUCT CODE TROLLEY | PRODUCT CODE RACK | BIN TYPE | NO. OF LEVEL | BIN/ SHELF | BIN QTY. | OVERALL SIZE (L X W X H) mm |
|-------------------|----------------------|-------------------|----------|--------------|------------|----------|-----------------------------|
| Double Side | M04 BT03 01 | M04 BR03 01 | 15 | 12 | 7 | 84 | 1000 x 600 x 1300 |
| | M04 BT03 02 | M04 BR03 02 | 25 | 10 | 6 | 60 | |
| | M04 BT03 03 | M04 BR03 03 | 35 | 8 | 4 | 32 | 1000 x 800 x 1300 |
| | M04 BT03 04 | M04 BR03 04 | 45 | 8 | 4 | 32 | |
| Double Side Combo | M04 BT04 01 | M04 BR04 01 | 15 | 4 | 7 | 28 | 1000 x 800 x 1300 |
| | | | 25 | 2 | 6 | 12 | |
| | | | 35 | 2 | 4 | 8 | |
| | | | 45 | 2 | 4 | 8 | |

FPO BIN TROLLEY (PLAIN SHELF - BOTH SIDES)

Load Capacity : 400 kg
 Wheel : Ø125, 2 Fix + 1 Swivel +
 1 Swivel with Brake
 Powder Coating : Trolley RAL 5015 Shelf RAL 9001



| MODEL TYPE | PRODUCT CODE TROLLEY | BIN TYPE | NO. OF LEVEL | BIN/ SHELF | BIN QTY. | OVERALL SIZE (L X W X H) mm |
|-------------------|----------------------|----------|--------------|------------|----------|-----------------------------|
| Double Side | M04 TS03 01 | 25 | 10 | 6 | 60 | 1000 x 600 x 1300 |
| | M04 TS03 02 | 35 | 8 | 4 | 32 | |
| | M04 TS03 03 | 45 | 8 | 4 | 32 | |
| Double Side Combo | M04 TS04 01 | 25 | 4 | 6 | 24 | 1000 x 800 x 1300 |
| | | 35 | 2 | 4 | 8 | |
| | | 45 | 2 | 4 | 8 | |

FPO BIN

| PRODUCT CODE | BIN TYPE | LENGTH | WIDTH | HEIGHT |
|--------------|----------|--------|-------|--------|
| M04 FP99 01 | FPO 15 | 200 | 125 | 100 |
| M04 FP99 02 | FPO 25 | 230 | 150 | 125 |
| M04 FP99 03 | FPO 35 | 300 | 208 | 160 |
| M04 FP99 05 | FPO 45 | 350 | 210 | 200 |

Bin can be supplied with extra cost.

Note: Our Trolleys are efficiently packed in compact boxes for convenient transportation and can be easily assemble at your location.



LADDER TROLLEY

A ladder trolley is a piece of equipment designed to make it easier and safer to transport and work with ladders in various settings. It typically consists of a wheeled platform or cart that can hold and secure a ladder, making it more convenient to move around and position as needed.

Features:

- Ergonomic and modular design
- Anti-skid perforated
- Safety railing
- Locking arrangement
- Ground support
- Glossy finish with scratch and impact-resistant powder coating.





ORDER PICKING TROLLEY

| | | |
|-----------------------|---|---|
| Dimension (mm) | : | 1310 L x 500 X 1725 |
| Level | : | 3 |
| Shelf Size | : | Shelf Adjustable at every 50mm pitch |
| Steps | : | Anti-skid perforated |
| Load Capacity Trolley | : | 300 Kg |
| Locking Type | : | Spring Loaded Mechanism |
| Powder Coating | : | Trolley RAL 1003 and Steps - Galvanised |

| PRODUCT CODE | NO. OF STEPS | OVERALL SIZE (L X D X H) mm | SHELF SIZE (L X D) mm |
|--------------|--------------|-----------------------------|-----------------------|
| M06 OP01 01 | 4 | 1310 X 500 X 1725 | 657 X 432 |

Note: • Our Trolleys are efficiently packed in compact boxes for convenient transportation and can be easily assembled at your location.

- Plastic crates are not included with the trolley.

LADDER TROLLEY

| | | |
|---------------------|---|---|
| Railing Height (mm) | : | 750 mm from top Platform |
| Railing | : | 3 Sides |
| Steps | : | Anti-skid perforated |
| Load Capacity | : | 300 kg |
| Locking type | : | Foot Pedal Mechanism |
| Powder Coating | : | Trolley RAL 1003 and Steps - Galvanised |

| PRODUCT CODE | NO. OF STEPS | OVERALL SIZE (L X D X H) mm | PLATFORM SIZE (L X D X H) mm |
|--------------|--------------|-----------------------------|------------------------------|
| M06 LT01 01 | 4 | 1230 X 900 X 1800 | 900 X 600 X 1000 |
| M06 LT01 02 | 5 | 1410 X 900 X 2000 | 900 X 600 X 1250 |
| M06 LT01 03 | 6 | 1580 X 900 X 2100 | 900 X 600 X 1500 |
| M06 LT01 04 | 7 | 1760 X 900 X 2350 | 900 X 600 X 1750 |
| M06 LT01 05 | 8 | 1930 X 900 X 2600 | 900 X 600 X 2000 |
| M06 LT01 06 | 10 | 2280 X 900 X 3250 | 900 X 600 X 2500 |
| M06 LT01 07 | 12 | 2630 X 900 X 3750 | 900 X 600 X 3000 |



Locking Arrangement

Highlighted products are readily available in our stock, and we can deliver them within 10 working days.

UTILITY RACK

Wiremesh racks are an essential and very useful for storing light weight material. They are a safe, secure and an effective solution to cater the needs of storing and sorting of vast array of material and components used in day-to-day work. Having an organized way to store prevents material from getting misplaced thus promoting the serenity of workplace and improving the productivity.

Features:

- Heavy-duty storage with an impressive 500 kg per level capacity.
- Sturdy assembly ensuring durability.
- Vertical member caps and shoes for floor and user safety.
- Wiremesh loading surface on each level.
- No ground anchoring required.
- Height-adjustable shelves for customization.
- Cost-effective solution.
- Easy relocation.
- Knockdown design for simple assembly and disassembly.
- Glossy finish with scratch and impact-resistant powder coating.




UTILITY RACK

| TYPE | CODE | SIZE (L X D X H) mm | LEVEL | LOAD CAPACITY | GRID | FINISH |
|--------|--------------|------------------------|-------|------------------|---------|----------|
| Type 1 | W15 MM05 002 | 1238x425x1200 | 3 | 300 Kg per Level | 50 x 50 | RAL 9001 |
| | W15 MM05 001 | | 4 | | | |
| Type 2 | W15 MM08 001 | 2038x600x2005 | 5 | 500 Kg per Level | 50 x 50 | RAL 9001 |



TYPE 1



TYPE 2



EXPANDABLE RACK



ADDITIONAL FEATURES

- SAFETY FEATURES - Locking pins ensure crossbeams stay seated
- ADJUSTABLE SHELVES - Shelves are adjustable in 50 mm increments
- EXPANDABLE - Join multiple racks together vertically or horizontally to create a complete storage or workspace solution
- In a 1200 mm high rack, an optimal space-saving strategy is to stack rack one above the other with help of joinery

FIFO RACK

FIFO Storage Rack is designed for efficient inventory management. It ensures that items stored are retrieved in the order they were placed, allowing for optimal stock rotation and reducing the risk of obsolete stock. This system is ideal for businesses that require organized and time-sensitive access to inventory.

Features:

- Shelf adjustment is possible at only 10 mm pitch.
- Individual shelf is adjustable on 4 bolts and nuts.
- Extension of the shelf is indicated with red highlighter as per the safety norms.
- Using tie members in racks enhances structural stability and load-bearing capacity, ensuring secure and efficient storage.
- Glossy finish with scratch and impact-resistant powder coating.



FIFO RACK

| TYPE | BIN IN FRONT | | BIN IN DEPTH | | RACK LENGTH | RACK DEPTH | RACK 1800 HEIGHT - (3 FORWARD + 1 RETURN) LEVEL | | | RACK 2000 HEIGHT - (4 FORWARD + 1 RETURN) LEVEL | | |
|-------------------------|--------------|-----|--------------|-----|-------------|------------|--|--------------|---------------|--|--------------|---------------|
| | SIZE | QTY | SIZE | QTY | | | BIN / RACK | MAIN MODULE | ADD ON MODULE | BIN / RACK | MAIN MODULE | ADD ON MODULE |
| Fifo Rack with GI Shelf | 200 | 3 | 300 | 2 | 800 | 600 | 24 | W11 MM03 001 | W11 AM03 001 | 30 | W11 MM04 001 | W11 AM04 001 |
| | 200 | 4 | 300 | 2 | 1000 | 600 | 32 | W11 MM03 002 | W11 AM03 002 | 40 | W11 MM04 002 | W11 AM04 002 |
| | 200 | 5 | 300 | 2 | 1160 | 600 | 40 | W11 MM03 003 | W11 AM03 003 | 50 | W11 MM04 003 | W11 AM04 003 |
| | 300 | 2 | 400 | 2 | 800 | 800 | 16 | W11 MM03 004 | W11 AM03 004 | 20 | W11 MM04 004 | W11 AM04 004 |
| | 300 | 3 | 400 | 2 | 1090 | 800 | 24 | W11 MM03 005 | W11 AM03 005 | 30 | W11 MM04 005 | W11 AM04 005 |
| | 300 | 4 | 400 | 2 | 1390 | 800 | 32 | W11 MM03 006 | W11 AM03 006 | 40 | W11 MM04 006 | W11 AM04 006 |
| | 400 | 2 | 600 | 1 | 1000 | 600 | 8 | W11 MM03 007 | W11 AM03 007 | 10 | W11 MM04 007 | W11 AM04 007 |
| | 400 | 3 | 600 | 1 | 1390 | 600 | 12 | W11 MM03 008 | W11 AM03 008 | 15 | W11 MM04 008 | W11 AM04 008 |



| TYPE | BIN IN FRONT | | BIN IN DEPTH | | RACK LENGTH | RACK DEPTH | RACK 1800 HEIGHT - (3 FORWARD + 1 RETURN) LEVEL | | | RACK 2000 HEIGHT - (4 FORWARD + 1 RETURN) LEVEL | | |
|-----------------------------|--------------|-----|--------------|-----|-------------|------------|--|--------------|---------------|--|--------------|---------------|
| | SIZE | QTY | SIZE | QTY | | | BIN / RACK | MAIN MODULE | ADD ON MODULE | BIN / RACK | MAIN MODULE | ADD ON MODULE |
| Fifo Rack with Roller Track | 300 | 2 | 400 | 2 | 950 | 875 | 12 | W11 MM01 001 | W11 AM01 001 | 16 | W11 MM02 001 | W11 AM02 001 |
| | 300 | 3 | 400 | 2 | 1250 | 875 | 18 | W11 MM01 002 | W11 AM01 002 | 24 | W11 MM02 002 | W11 AM02 002 |
| | 300 | 4 | 400 | 2 | 1580 | 875 | 24 | W11 MM01 003 | W11 AM01 003 | 32 | W11 MM02 003 | W11 AM02 003 |
| | 400 | 2 | 300 | 3 | 1180 | 975 | 18 | W11 MM01 004 | W11 AM01 004 | 24 | W11 MM02 004 | W11 AM02 004 |
| | 400 | 3 | 300 | 3 | 1580 | 975 | 27 | W11 MM01 005 | W11 AM01 005 | 36 | W11 MM02 005 | W11 AM02 005 |
| | 400 | 2 | 600 | 2 | 1180 | 1275 | 12 | W11 MM01 006 | W11 AM01 006 | 16 | W11 MM02 006 | W11 AM02 006 |
| | 400 | 3 | 600 | 2 | 1580 | 1275 | 18 | W11 MM01 007 | W11 AM01 007 | 24 | W11 MM02 007 | W11 AM02 007 |



Note: Plastic bin are not included with the fifo rack.

OPTIMIZE STORAGE RACK - PUSH PULL TYPE

File storage optimizers are designed to make the most efficient use of available space. They typically include features like adjustable shelving, dividers, and compact design to store a large volume of files or documents in a relatively small footprint.

Features:

- Very cost effective solution.
- Configured to suit any type of storage.
- The shelves are adjustable.
- Modular design in knockdown condition provides.
- Flexibility in relocation with ease with lock & key.
- Glossy finish with scratch and impact-resistant powder coating.



MOBILE STORAGE SOLUTION (PUSH PULL TYPE)

PUSH PULL 1980 (MM) H




Height (mm) : 1980
No of
Compartment : 5
Load Per Shelf : 60 kg UDL

| Shelf Size (L x W) | 915 x 290 | | 915 x 290 | | 915 x 410 | |
|-----------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|
| | SFFC | | DFMC | | SFMC | |
| BAY TYPE | OUTER SIZE (mm) | PRODUCT CODE | OUTER SIZE (mm) | PRODUCT CODE | OUTER SIZE (mm) | PRODUCT CODE |
| 1 BAY | 330x915 | W10 PP01 005 198 | 660 x 915 | W10 PP04 005 198 | 450 x 915 | W10 PP07 005 198 |
| 2 BAY | 330x1830 | W10 PP02 005 198 | 660 x 1830 | W10 PP05 005 198 | 450 x 1830 | W10 PP08 005 198 |
| 3 BAY | 330x2745 | W10 PP03 005 198 | 660 x 2745 | W10 PP06 005 198 | 450 x 2745 | W10 PP09 005 198 |

PUSH PULL 2380 (MM) H

Height (mm) : 2380
No of
Compartment : 6
Load Per Shelf : 60 kg UDL

| Shelf Size (L x W) | 915 x 290 | | 915 x 290 | | 915 x 410 | |
|-----------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|
| | SFFC | | DFMC | | SFMC | |
| BAY TYPE | OUTER SIZE (mm) | PRODUCT CODE | OUTER SIZE (mm) | PRODUCT CODE | OUTER SIZE (mm) | PRODUCT CODE |
| 1 BAY | 330x915 | W10 PP01 006 238 | 660 x 915 | W10 PP04 006 238 | 450 x 915 | W10 PP07 006 238 |
| 2 BAY | 330x1830 | W10 PP02 006 238 | 660 x 1830 | W10 PP05 006 238 | 450 x 1830 | W10 PP08 006 238 |
| 3 BAY | 330x2745 | W10 PP03 006 238 | 660 x 2745 | W10 PP06 006 238 | 450 x 2745 | W10 PP09 006 238 |



OPTIMIZE STORAGE RACK - DRIVE TYPE

File storage optimizers are designed to make the most efficient use of available space. They typically include features like adjustable shelving, dividers, and compact design to store a large volume of files or documents in a relatively small footprint.

Features:

- Very cost effective solution.
- Configured to suit any type of storage.
- The shelves are adjustable.
- Modular design in knockdown condition provides.
- Flexibility in relocation with ease with lock & key.
- Glossy finish with scratch and impact-resistant powder coating.



OPTIMIZE STORAGE RACK

MOBILE STORAGE SOLUTION (DRIVE TYPE)

DRIVE TYPE 1980 (MM) H


Height (mm) : 1980
No of
Compartment : 5
Load Per Shelf : 60 kg UDL

| Shelf Size (L x W) | 915 x 290 | | 915 x 290 | | 915 x 410 | |
|-----------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|
| | SFFC | | DFMC | | SFMC | |
| BAY TYPE | OUTER SIZE (mm) | PRODUCT CODE | OUTER SIZE (mm) | PRODUCT CODE | OUTER SIZE (mm) | PRODUCT CODE |
| 1 BAY | 330 x 915 | W10 DR01 005 198 | 660 x 915 | W10 DR04 005 198 | 450 x 915 | W10 DR07 005 198 |
| 2 BAY | 330 x 1830 | W10 DR02 005 198 | 660 x 1830 | W10 DR05 005 198 | 450 x 1830 | W10 DR08 005 198 |
| 3 BAY | 330 x 2745 | W10 DR03 005 198 | 660 x 2745 | W10 DR06 005 198 | 450 x 2745 | W10 DR09 005 198 |


Drive Type 2380 (MM) H

Height (mm) : 2380
No of
Compartment : 5
Load Per Shelf : 60 KG UDL

| Shelf Size (L x W) | 915 x 290 | | 915 x 290 | | 915 x 410 | |
|-----------------------|--------------------|------------------|--------------------|------------------|--------------------|------------------|
| | SFFC | | DFMC | | SFMC | |
| BAY TYPE | OUTER SIZE (mm) | PRODUCT CODE | OUTER SIZE (mm) | PRODUCT CODE | OUTER SIZE (mm) | PRODUCT CODE |
| 1 BAY | 330 x 915 | W10 DR01 006 238 | 660 x 915 | W10 DR04 006 238 | 450 x 915 | W10 DR07 006 238 |
| 2 BAY | 330 x 1830 | W10 DR02 006 238 | 660 x 1830 | W10 DR05 006 238 | 450 x 1830 | W10 DR08 006 238 |
| 3 BAY | 330 x 2745 | W10 DR03 006 238 | 660 x 2745 | W10 DR06 006 238 | 450 x 2745 | W10 DR09 006 238 |



WAREHOUSE STORAGE SOLUTION



Selective Pallet Racking



Multi Tier Shelving




Modular Mezzanine Floor



Shuttle Racking

AUTOMATION

Light weight to heavy weight standalone automated storage systems



Stacker Crane ASRS



Pipe Store



Auto Store

ROLL-OUT

Mechanized racks for Sheets, Pipes, Bars and Moulds



Sheet Storage Rack



Bar Storage Rack



Mould Storage Rack

APPLIED INDUSTRIAL SEGMENTS



Creating[®]
space
within
space



METAFOLD ENGINEERING PVT. LTD.

Registered Head Office: Sr. No. 27/5/2, Kondhwa (Bk.),
Punyadham Ashram Road, Pune - 411048, India.

Tel. : + 91-90110 43672

E-mail: sales1@metafold.com, sales2@metafold.com

Website: www.metafold.com



Mumbai • Delhi • Chennai • Bangalore • Surat • Ahmedabad • Hyderabad • Kolkata • Lucknow